







# Profile D5



## Regular decking

-  Thermally modified
-  For exterior and interior use
-  Conventional and easy installation
-  Long-lasting
-  100% natural, reusable
-  High dimensional stability

## Additional Features



T&G END-  
MATCHING



Thermal modification is a 100% natural method for increasing the durability and dimensional stability of wood, likewise for reducing water absorption. During the process, the wood is heated to a temperature of 180-220°C, while lowering the moisture content of the wood up to 4-6 %. Thermoarena conducts careful quality control of the wood before and after thermal modification. The lumber used for TM is checked and certified.



## DECKING

### Technical data

| Profile  | D5                | Coverage<br>m/m <sup>2</sup> | in pack<br>m/m <sup>3</sup> |
|----------|-------------------|------------------------------|-----------------------------|
|          | 26 x 117          | 8,13                         | 328                         |
|          | 26 x 140          | 6,85                         | 274                         |
| Species: | Scandinavian Pine |                              |                             |
| Length:  | 1.8 - 5.1 m       |                              |                             |



Please follow Thermoarena's installation instructions when working with thermal wood



# Thermoarena

Thermoarena OÜ, Farmi tee 5, Koigi küla, Järva maakond, 72501  
Telefon +372 509 6803, info@thermoarena.com, thermoarena.com



The mark of  
responsible forestry  
FSC® C114364

